

Maschinen www.heinz-sanders.de

Papenburg Heinz Sanders GmbH Friederikenstraße 100 26871 Papenburg info@heinz-sanders.de Niederlangen Heinz Sanders GmbH Fresenburger Weg 4 49779 Niederlangen maschinen@heinz-sanders.de

Heinz Sanders GmbH Robert-Bosch-Straße 9 48480 Spelle spelle@heinz-sanders.de

ALZMETALL AB 3 ESV (1125-3100027)



Control type konventionell

Construction year 1975

Machine no. 1125-3100027

Make ALZMETALL

Column drilling machine OPTIdrill DP 33V promotion set / 3020680SET With an electronically controllable drive in a modern design

- * Industrial engine
- * Quiet running spindle thanks to new spindle design
- * Machine operation with safety electronics in 24 V direct current
- * Guaranteed concentricity = 0.02 mm in the measured drilling spindle
- * Clockwise/counterclockwise rotation
- * Precision spindle bore
- * Control panel with user-friendly, dirt and water resistant
- * Membrane keyboard
- * RPM display
- * Separate emergency stop button
- * Tapping function
- * Precisely crafted, stable drill table with diagonal T-slots with all-round cooling water channel, can be tilted sideways by $\pm 45^\circ$ and rotated by 360°
- * Drilling depth stop
- * LED machine light integrated in the drill head

- * V-belt cover with safety switch
- * Thick-walled steel column for high power absorption and stability
- * Solid, large base plate with T-slots
- * Execution of the entire machine

Scope of delivery:

- Keyless drill chuck 0 16 mm
- T-Nuts
- -expectors
- Operating tool
- BMP 160 machine vice

Machine attributes

bore capacity in steel (diameter): 35 mm throat: 280 mm bore stroke: 180 mm

:

speeds: 65 - 1750 U/min table-size: 600 x 470 mm total power requirement: 1,6 kW

 weight:
 450 kg

 dimensions:
 1200 x 800 x 2200 mm







Maschinen www.heinz-sanders.de

Papenburg Heinz Sanders GmbH Friederikenstraße 100 26871 Papenburg info@heinz-sanders.de Niederlangen Heinz Sanders GmbH Fresenburger Weg 4 49779 Niederlangen maschinen@heinz-sanders.de Spelle Heinz Sanders GmbH Robert-Bosch-Straße 9 48480 Spelle spelle@heinz-sanders.de



