

Maschinen www.heinz-sanders.de

Papenburg
Heinz Sanders GmbH
Friederikenstraße 100
26871 Papenburg
info@heinz-sanders.de

Niederlangen Heinz Sanders GmbH Fresenburger Weg 4 49779 Niederlangen maschinen@heinz-sanders.de

Heinz Sanders GmbH Robert-Bosch-Straße 9 48480 Spelle spelle@heinz-sanders.de

BERNARDO MS 150 x 2000 S (1125-2230004)



Control type konventionell

Construction year NEU

Machine no. 1125-2230004

Make BERNARDO

Description:

- Good sanding performance due to high belt speed
- Quick adjustment for horizontal and inclined position
- Continuous flat grinding surface for optimal grinding of long workpieces
- Constant belt tension through spring-loaded tensioning device
- Universally applicable for grinding edges, surfaces and for cylindrical grinding
- Including quick-release system for quick strap changes
- Simple adjustment of the parallel belt run by means of an adjusting screw
- Graphite coating on the flat grinding surface increases the sliding properties of the sanding belt

Scope of delivery:

- Sanding belt K 80
- Hinged protective screen
- Sanding and support table
- workpiece stop

- Dust extraction nozzle
- Separate off button
- underframe

Machine attributes

width of the strips: 150 mm band length: 2000 mm

band speed: 14,5 / 29 m/sek

460 x 150 Plantisch mm grinding width:

Dust suction hood: 100 mm

4,0 kW 100% ED total power requirement:

weight of the machine ca.: 84,0 kg

Machine images

® Heinz Sanders GmbH als GmbH ® Heinz Sanders GmbH als GmbH









® Heinz Sanders GmbH

