

## Dumeta D-DWP-300 (1125-5907)



**Control type**  
 konventionell

**Construction year**  
 NEU

**Machine no.**  
 1125-5907

**Make**  
 Dumeta

**Location**  
 D - 49779 Niederlangen

The D-BYT N welding manipulator has a hollow shaft, also known as Spindle bore in the rotary table, which makes inert gas welding possible. The Due to the compact design, turn-tilt tables can be installed in any integrate existing production facilities. Inert gas welding (forming gas). thereby simplified.

### Features:


- Double foot pedal (start-stop/left-right) included
- Infinitely adjustable rotation speed of the table
- Suitable for any welding process, even high frequency
- Very high stability - compact model
- Through hole in the turntable plate
- CE marking
- Very good value for money

## Machine attributes


table diameter:	490 mm
table load:	300/150 kg
swivelling range:	0-90 manuell Grad
table load:	horiz. 300 Kg
table load:	vert. 150 Kg
boring diameter:	65 mm
table turning speeds:	0,4 - 4,0 U/min
voltage:	230 V
total power requirement:	0,2 kW
weight of the machine ca.:	0,1 t
dimensions of the machine ca.:	0,5 x 0,52 x 0,5 m

## Machine images

HERZ Sanders GmbH



HERZ Sanders GmbH



Heinz Sanders GmbH



Heinz Sanders GmbH

