

DURMA E 30200 (1125-3300071)



Control type
 CNC

Construction year
 2006

Machine no.
 1125-3300071

Make
 DURMA

Furnishing:


- DELEM CNC control DA65
- controlled axes: Y1 + Y2 + X + R
- Electric crowning device WILA, controlled via CNC
- Electric back stop, travel range 600 mm
- hydr. Upper tool holder WILA
- hydr. WILA lower tool holder
- front laser protection device FIESSLER
- 5x manually adjustable stop fingers, foldable
- 2x front support arms ?sliding system?
- side + back protection device
- Hand and foot controls
- Operation manual
- ?

Machine attributes

pressure:	200 t
chamfer length:	3100 mm
distance between columns:	2550 mm
daylighth:	450 mm
throat:	415 mm
stroke:	210 mm
return speed:	6 mm/sec
adjustment speed:	95 mm/sec
work height max.:	900 mm
oil volume:	150 l
Control:	DURMA DU 6000 (Cybelec)
total power requirement:	17 kW
weight of the machine ca.:	12500 kg
dimensions:	4500 x 2250 x 2900 mm

Machine images





durmazlar		CE
TYPE	E 5000/200	
MANUFACTURING YEAR BAIJAHN ANNO DI COSTRUZIONE ROK VÝROBY ROK PRODUKCE TÄLLVERKNINGÅR	2006	
MACHINE NO MÁSCH - NR MÁTRICA/L VÝROBNÍ ČÍSLO NUMER MA SZINY SERIE NUMBER	7541051788-E	
CAPACITY KAPACITÄT CAPACITA KAPACITA KAPACITÄT KAPACITÄT	3050x200 TDU	
STROKE HUB CORSA ZDVH SKOK SKOK	210	mm
STROKE IN A MINUTE HUBZAHL, PRO MIN CÓLPI AL MINUTO POČET ZDVHŮ ZA MIN CYCLE NA MINUTE SLAG / MINUT	-	1/min
LUBRICANT CAPACITY OLJETANK KAPACITÄT CAPACITA SERBIATOIO OLEJANA NAPLN POJEMNOSC ZIHOVNIKA OLJETANKS RYMD	150	lt
TOP TOOL WEIGHT GEWICHT OBERWERKZEUG PESO UTENSILE SUPERIORE HÖRIGKEIT H NÄSTRÖJE CETAK NAZ. GÖRNEGO ÖVERVERKTYGETS VIKT	40	Kg
BOTTOM TOOL WEIGHT GEWICHT UNTERWERKZEUG PESO UTENSILE INFERIORE HÖRIGKEIT S NÄSTRÖJE CETAK NAZ. DÖRNEGO UNDRVERKTYGETS VIKT	95	Kg
WIDTH BREITE LARGHEZZA ŠÍŘKA SZERŐMŐSÉG BREDTE	720	mm
LENGTH LANGE LUNGHEZZA HÉLAR HÖRIGKEIT LÄNGD LÄNGD	450	mm