

## Maschinen www.heinz-sanders.de

Papenburg Heinz Sanders GmbH Friederikenstraße 100 26871 Papenburg info@heinz-sanders.de Niederlangen Heinz Sanders GmbH Fresenburger Weg 4 49779 Niederlangen maschinen@heinz-sanders.de

Heinz Sanders GmbH Robert-Bosch-Straße 9 48480 Spelle spelle@heinz-sanders.de

## EISELE VMS 120 (1125-3160037)



Control type konventionell

Construction year 1991

Machine no. 1125-3160037

Make EISELE

**Location** 49779 Niederlangen

Manual metal circular saw MKS 315 N Action set / Item no. 3620303SET

- two cutting speeds
- Rotatable machine head 45° to the left and 45° to the right
- Reduction gear, running quietly in an oil bath
- automatic diaphragm coolant pump with coolant filter
- Vice with counter vice, quick release and anti-burr jaws guarantees a precise and burr-free cut
- Lateral material support arm with roller
- Vice swivels 45° to the left and 45° to the right
- Movable guard ensures optimal safety when cutting
- Control handle with safety switch
- Vice with counter vice, quick release and anti-burr jaws
- Lateral material support arm with roller
- Vise can be moved longitudinally and thus for longitudinal cuts and for suitable for slots

0° (round) solid material 55 mm

0° (round) tube 90 mm

- 0° (square) tube 80 x 80 mm
- 0° (rectangular) tube 115 x 70 mm
- -45° (round) solid material 50 mm
- -45° (round) tube 80 mm
- -45° (square) tube 70 x 70 mm
- -45° (rectangular) tube 70 x 70 mm
- +45° (round) solid material 50 mm
- +45° (round) tube 80 mm
- +45° (square) tube 70 x 70 mm
- +45° (rectangular) tube 70 x 70 mm

## **Machine attributes**

saw blade diameter: 275 mm

cutting diameter: 90 mm

stroke: 250 mm

turning speeds: 40 / 80 U/min

capacity 90 degrees: square: 75 mm

total power requirement: 1,0 / 1,4 kW

weight of the machine ca.: 250 kg

dimensions of the machine ca.: 600 x 700 x 1600 mm

## **Machine images**



