

ERMAK CNC HGD 3100-10 HH (1125-2320008)



Control type
CNC

Construction year
2023

Machine no.
1125-2320008

Make
ERMAK

heavy electr. / hydraulic CNC swing cut shears

* with CYBELEC CNC touch screen control

* with electr. / hydr. Kerf adjustment

Furnishing:

- CNC electr. / hydraulic swing cut shears

- CYBELEC CNC touch screen controller, model CybTouch 8

* Backgauge preselection - X axis

* Cutting gap adjustment

* Number of pieces

* Cutting length limitation

* Material preselection, including sheet thickness

* Cutting line lighting

- motorized backgauge, travel = 1,000 mm (X axis)

* on ball screws

* autom. Can be folded up at max.travel, for longer cuts

- 1x side stop
- 2x front support arms
- Ball rollers in the front support table
- hinged finger protection, with safety switch
- BOSCH / HOERBIGER hydraulic system
- SIEMENS electrical system
- light barrier behind the machine (safety device)
- foot switch
- CE mark / declaration of conformity
- User manual: machine and control in German

** including special equipment:

- pneumatic sheet holding device

Machine attributes

sheet width:	3100 mm
plate thickness:	10 mm
rear stop:	1000 mm
throat:	350 mm
cutting angle:	2,0 °
down holder:	14 Stk
no. of strokes:	13 Hub/min
total power requirement:	22 kW
dimensions of the machine ca.:	4050 x 2500 x 2170 mm
weight of the machine ca.:	10575 kg

Machine images





© Heinz Sanders GmbH

ERMAKSAN  **CE**

TYPE	CNCHGD 3100 2 10	
BAUJAHR	2023	
MASCHINEN Nr.	00032441-EPH	
KAPAZITAT	10	mm.
SCHNEID / Min.	13	pcs.
GEWICHT	9400	kg.
LEISTUNG	22	kW.
SPANNUNG	400	V.
IP	54	
ÖL KAPAZITAT	260	lt.
BREITE	2270	mm.
LÄNGE	4050	mm.
HÖHE	2175	mm.

ERMAKSAN MAKİNA SANAYİ VE TİC. A.Ş.
Organize Sanayi Bölgesi Lacivert Caddesi No:6 Nilüfer / BURSA / TÜRKİYE
Tel: (00 90 224) 294 75 00 Fax: (00 90 224) 294 75 44
web: www.ermaksan.com.tr e-mail: ermaksan@ermaksan.com.tr

ERM 235 Rev. 01