

ERMAK CNC HGD 3100-10 HH MONO (1125-2320005)



Control type
CNC

Construction year
2022 (NEU)

Machine no.
1125-2320005

Make
ERMAK

heavy electr. / hydraulic CNC swing cut shears

* with CYBELEC CNC touch screen control

* with electr. / hydr. Kerf adjustment

Furnishing:

- CNC electr. / hydraulic swing cut shears

- CYBELEC CNC touch screen controller, model CybTouch 8

* Backgauge preselection - X axis

* Cutting gap adjustment

* Number of pieces

* Cutting length limitation

* Material preselection, including sheet thickness

* Cutting line lighting

- motorized backgauge, travel = 1,000 mm (X axis)

* on ball screws

* autom. Can be folded up at max.travel, for longer cuts

- 1x side stop
- 2x front support arms
- Ball rollers in the front support table
- hinged finger protection, with safety switch
- BOSCH / HOERBIGER hydraulic system
- SIEMENS electrical system
- light barrier behind the machine (safety device)
- foot switch
- CE mark / declaration of conformity
- User manual: machine and control in German

Machine attributes

sheet width:	3100 mm
plate thickness:	10 mm
rear stop:	1000 mm
throat:	350 mm
cutting angle:	2,0 °
down holder:	14 Stk
no. of strokes:	13 Hub/min
total power requirement:	22 kW
dimensions of the machine ca.:	4050 x 2500 x 2170 mm
weight of the machine ca.:	10575 kg

Machine images





© Heinz Sanders GmbH



© Heinz Sanders GmbH