



Papenburg Heinz Sanders GmbH Friederikenstraße 100 26871 Papenburg info@heinz-sanders.de Niederlangen Heinz Sanders GmbH Fresenburger Weg 4 49779 Niederlangen maschinen@heinz-sanders.de Spelle Heinz Sanders GmbH Robert-Bosch-Straße 9 48480 Spelle spelle@heinz-sanders.de

## ERMAK CNC HGS 3100x6 (1125-2320004)



Control type CNC

**Construction year** 2024 (NEU)

Machine no. 1125-2320004

**Make** ERMAK

electr. / hydraulic CNC swing cut shears

- \* with CYBELEC CNC touch screen control
- \* with electr. / hydr. Kerf adjustment

Furnishing:

- CNC electr. / hydraulic swing cut shears
- CYBELEC CNC touch screen controller, model CybTouch 8
- \* Backgauge preselection X axis
- \* Cutting gap adjustment
- \* Number of pieces
- \* Cutting length limitation
- \* Material preselection, including sheet thickness
- \* Cutting line lighting
- motorized backgauge, travel = 1,000 mm (X axis)
- \* on ball screws
- \* autom. can be folded up at max.travel, for longer cuts
- 1x side stop

- 2x front support arms
- Ball rollers in the front support table
- hinged finger protection, with safety switch
- BOSCH / HOERBIGER hydraulic system
- SIEMENS electrical system
- Light barrier behind the machine (safety device)
- foot switch
- CE mark / declaration of conformity
- User manual: machine and control in German
- \*\* including special equipment:
- pneumatic sheet metal holding device

## Machine attributes

sheet width:	3100 mm
plate thickness:	6 mm
rear stop:	1000 mm
cutting angle:	1,2 °
down holder:	14 Stk
no. of strokes:	18 Hub/min
total power requirement:	11 kW
dimensions of the machine ca.:	4.000 x 2.100 x 1.640 mm

## Machine images



