

ERMAK HGD 3100 - 16 (1125-3320039)



Control type
 CNC

Construction year
 2022

Machine no.
 1125-3320039

Make
 ERMAK

- gate-guided CNC guillotine shears
- CYBELEC CNC control, model DNC 60
- * Backgauge preselection - X axis
- * Cutting gap & cutting angle adjustment
- * Number of pieces
- * Cutting length limitation
- * Material selection, including sheet thickness
- * Cutting line lighting
- motorized backgauge, travel = 1,000 mm (X axis)
- rear sheet metal slide
- 1x side stop 1000 mm
- 2x front support arms 1000 mm
- Ball transfer units in the front support table
- hinged finger guard, with safety switch
- Safety device behind the machine
- foot switch
- CE mark/Declaration of Conformity
- Operating manual: Machine and control in German
- Knives were reground and new slide rails were installed

** including special equipment:

- Pneumatic sheet metal holding device

Machine attributes



sheet width:	3100 mm
plate thickness:	16 mm
distance between columns:	3400 mm
cutting angle:	2,5 °
work height max.:	900 mm
rear stop:	1000 mm
down holder:	14 Stück
Control:	CYBELEC CYB TOUCH 8
oil volume:	500 l
no. of strokes:	10 Hub/min
total power requirement:	30 kW
weight of the machine ca.:	16100 kg
dimensions of the machine ca.:	4150 x 2360 x 2450 mm

Machine images





© Heinz Sanders GmbH

		ERMAKSAN 	
TYPE	CNCHGD 3100 X 16		
BAUJAHR	2022		
MASCHINEN Nr.	00030204-ERH		
KAPAZITAT	16	mm.	
SCHNEID / Min.	10	pcs.	
GEWICHT	16100	kg.	
LEISTUNG	30	kW.	
SPANNUNG	380	V.	
IP	54		
ÖL KAPAZITAT	500	lt.	
BREITE	2350	mm.	
LÄNGE	4150	mm.	
HÖHE	2450	mm.	
ERMAKSAN MAKİNA SANAYİ VE TİC. A.Ş.			
Organize Sanayi Bölgesi Lacivert Cadde No:6 Nilüfer / BURSA / TÜRKİYE			
Tel: (00 90 224) 294 75 00		Fax: (00 90 224) 294 75 44	
web: www.ermaksan.com.tr		e-mail: ermaksan@ermaksan.com.tr	
ERM-235			Rçv: 01