

## ERMAK HGS 3100 x 6 (1125-3320066)



**Control type**  
 NC

**Construction year**  
 2008

**Machine no.**  
 1125-3320066

**Make**  
 ERMAK

-----  
 electr. / hydraulic CNC swing cut shears  
 \* with CYBELEC CNC touch screen control  
 \* with electr. / hydr. Kerf adjustment  
 -----

**Furnishing:**

- CNC electr. / hydraulic swing cut shears
- CYBELEC CNC touch screen controller, model CybTouch 8
- \* Backgauge preselection - X axis
- \* Cutting gap adjustment
- \* Number of pieces
- \* Cutting length limitation
- \* Material preselection, including sheet thickness
- \* Cutting line lighting
- motorized backgauge, travel = 1,000 mm (X axis)
- \* on ball screws
- \* autom. can be folded up at max.travel, for longer cuts
- 1x side stop

- 2x front support arms
- Ball rollers in the front support table
- hinged finger protection, with safety switch
- BOSCH / HOERBIGER hydraulic system
- SIEMENS electrical system
- Light barrier behind the machine (safety device)
- foot switch
- CE mark / declaration of conformity
- User manual: machine and control in German

\*\* including special equipment:

- pneumatic sheet metal holding device

## Machine attributes

sheet width:	3100 mm
plate thickness:	6 mm
rear stop:	1000 mm
cutting angle:	1,2 °
down holder:	14 Stk
no. of strokes:	18 Hub/min
oil volume:	150 l
total power requirement:	11 kW
dimensions of the machine ca.:	3900 x 1900 x 1600 mm
weight:	5500 kg

## Machine images





ERMAK		CE
TYP.	HGS 3100 X 6	
BAUJAHR	2008	
MASCHINEN Nr.	SN20080536	
KAPAZITÄT	6	mm.
SCHNEID / Min.	18	pcs.
GEWICHT	5500	Kg.
LEISTUNG	11	kW.
SPANNUNG	380	V.
IP	54	
ÖL KAPAZITÄT	150	lt.
BREITE	3300	mm.
LÄNGE	2500	mm.
HÖHE	1550	mm.
ERMAKSAN MAKINA SANAYİ TİC. LTD. ŞTİ.		
Yeni Yalova Yolu 15. Km. Ovaakça BURSA / TÜRKİYE		
Tel : ( 00 90 224 ) 267 19 00 ( 15 Lines ) Fax : ( 00 90 224 ) 267 14 40		
web : www.ermaksan.com.tr e - mail : ermaksan@ermaksan.com.tr		
ERM - 235	Rev : 00	