

Maschinen www.heinz-sanders.de

Papenburg Heinz Sanders GmbH Friederikenstraße 100 26871 Papenburg info@heinz-sanders.de Niederlangen Heinz Sanders GmbH Fresenburger Weg 4 49779 Niederlangen maschinen@heinz-sanders.de

Heinz Sanders GmbH Robert-Bosch-Straße 9 48480 Spelle spelle@heinz-sanders.de

GECAM EASY T (1125-3230011)



Control type konventionell

Construction year NEU

Machine no. 1125-3230011

Make GECAM

Location 49779 Niederlangen

The "Easy T" is the cost-effective alternative to the conventional ones grinding and deburring machines. His head consisting of a grinding wheel and a flap brush, can be swiveled by 180°. Thus, a faster Switching between the aggregates possible. Due to the weight-bearing arm the head can be easily moved over the workpiece. The result is one even edge rounding. The pad also prevents slipping of the smallest components.

Furnishing:

- Deburring and rounding of laser-cut or stamped sheet metal parts
- Grinding head, consisting of a grinding wheel & a flap brush, can be swiveled by 180°
- Working area 800 x 1300 mm
- Weighted arm for easy pivoting
- non-slip table pad
- Ergonomic operation of the machine with the help of push buttons "On/Off"
- Grinding head with infinitely variable speed via frequency converter
- Handle for ergonomic handling

Machine attributes

diameter: 150 mm
workpiece length: 1300 mm
work piece width: 800 mm
max. dia. of grinding wheel: 150 mm

turning speed range: 0 - 2830 U/min work height max.: 945 mm

milling-head swivable +/-: 180°
engine output: 1,5 kW
weight of the machine ca.: 230 kg.

dimensions of the machine ca.: 1435 x 1100 x 1510 mm

Machine images







Maschinen www.heinz-sanders.de

Papenburg Heinz Sanders GmbH Friederikenstraße 100 26871 Papenburg info@heinz-sanders.de

® Heinz Sanders GmbH

Niederlangen Heinz Sanders GmbH Fresenburger Weg 4 49779 Niederlangen maschinen@heinz-sanders.de Spelle Heinz Sanders GmbH Robert-Bosch-Straße 9 48480 Spelle spelle@heinz-sanders.de







