

GILLARDON GB 50 V (1125-3100022)



Control type
konventionell

Construction year
unbekannt

Machine no.
1125-3100022

Make
GILLARDON

Column drilling machine OPTIdrill DP 33V promotion set / 3020680SET
With an electronically controllable drive in a modern design

- * Industrial engine
- * Quiet running spindle thanks to new spindle design
- * Machine operation with safety electronics in 24 V direct current
- * Guaranteed concentricity = 0.02 mm in the measured drilling spindle
- * Clockwise/counterclockwise rotation
- * Precision spindle bore
- * Control panel with user-friendly, dirt and water resistant
- * Membrane keyboard
- * RPM display
- * Separate emergency stop button
- * Tapping function
- * Precisely crafted, stable drill table with diagonal T-slots
with all-round cooling water channel, can be tilted sideways by $\pm 45^\circ$ and
rotated by 360°
- * Drilling depth stop
- * LED machine light integrated in the drill head

- * V-belt cover with safety switch
- * Thick-walled steel column for high power absorption and stability
- * Solid, large base plate with T-slots
- * Execution of the entire machine

Scope of delivery:

- Keyless drill chuck 0 - 16 mm
- T-Nuts
- expectors
- Operating tool
- BMP 160 machine vice

Machine attributes

| | |
|------------------------------------|----------------------|
| bore capacity in steel (diameter): | 50 mm |
| throat: | 360 mm |
| bore stroke: | 220 mm |
| : | 4 |
| speeds: | 160 - 950 U/min |
| total power requirement: | 3,5 kW |
| weight: | 850 kg |
| dimensions: | 1150 x 750 x 2200 mm |

Machine images



