



Papenburg Heinz Sanders GmbH Friederikenstraße 100 26871 Papenburg info@heinz-sande<u>rs.de</u> Niederlangen Heinz Sanders GmbH Fresenburger Weg 4 49779 Niederlangen maschinen@heinz-sanders.de **Spelle** Heinz Sanders GmbH Robert-Bosch-Straße 9 48480 Spelle spelle@heinz-sanders.de

KNUTH KHT 3106 (1125-3320050)



Control type NC

Construction year 2005

Machine no. 1125-3320050

Make KNUTH

Furnishing:

- electric back gauge 750 mm
- front support plates with ball rollers
- Light barrier behind the machine
- Hydraulic cutting adjustment
- Cutting gap regulation via handwheel
- LED cutting edge lighting
- 1x side stop with scale 1500 mm
- 1x freely movable foot switch
- Operation manual

Machine attributes

sheet width:	3100 mm
plate thickness:	6 mm
rear stop:	1000 mm
cutting angle:	1°15' °
down holder:	14 Stk
no. of strokes:	15 Hub/min
oil volume:	170 I
total power requirement:	15 kW
dimensions of the machine ca .:	3850 x 3100 x 1950 mm
weight:	6900 kg

Machine images







Maschinen www.heinz-sanders.de

Papenburg Heinz Sanders GmbH Friederikenstraße 100 26871 Papenburg info@heinz-sanders.de Niederlangen Heinz Sanders GmbH Fresenburger Weg 4 49779 Niederlangen maschinen@heinz-sanders.de **Spelle** Heinz Sanders GmbH Robert-Bosch-Straße 9 48480 Spelle spelle@heinz-sanders.de







Hoing Condorn Cmbb

weikzeuginas	chinen GmbH
Гуре	KHT 3106
Baujahr	2005
Machinen-Nr .	134714
Kapazität	3100 x 6 mm
HUB	105 mm
HUB pro Minute	15 1/min.
Öltank Kapazität	170 lt.
Breite	3100 mm
Länge	3850 mm
Höhe	1950 mm ⁴
Gewicht	6900 kg
Knuth Werkzeugna Schmalenb 24647 W Tel.: +49-4321-6090 Fa	rook 14 asbek