

## MEP PH 262 HB (1125-6762)



**Control type**  
konventionell

**Construction year**  
NEU

**Machine no.**  
1125-6762

**Make**  
MEP

**Location**  
D-49779 Niederlangen

Compact, powerful workshop double miter band saw for cuts of 45 ° right to 60 ° left

AUTOMATIC CUT: (via selector switch) with stepless settings of the Lowering speed and setting of the

Cutting pressure via compensating spring

Description:

- Manual cutting cycle and automatic cutting
- AUTOMATIC CUT: (via selector switch) with stepless settings of the Lowering speed and adjustment of the cutting pressure via compensating spring
- Large turntable for precise miter adjustment
- Stable, torsion-resistant and low-vibration saw frame made of cast steel
- Vise with quick adjustment and quick approach to the material
- Carbide band guides for maximum cutting precision
- Large dimensioned deflection discs, adjustable made of cast steel
- Saw band tension with limit switch to check the correct band tension
- Clearly arranged control panel with all controls

- Electric coolant pump for cooling and lubricating the saw band
- Sipping brush for cleaning the saw band

## Machine attributes

cutting diameter:	225 mm
saw band length:	2450 mm
cutting width:	240 mm
dimensions of saw-band:	2450 x 27 x ,09 mm
band speed:	46 / 92 m/min
capacity 90 degrees: round:	225 mm
capacity 90 degrees: square:	200 mm
capacity 90 degrees: flat:	240 x 160 mm
capacity 45 degrees: round:	li. 160 / re. 145 mm
capacity 45 degrees: flat:	li. 140 / re.125 mm
capacity 45 degrees: square:	li. 155 x 115 / re. 150 x mm
capacity 60 degrees: round:	90 mm
capacity 60 degrees: square:	90 mm
capacity 60 degrees: flat:	90 x 90 mm
motor:	0,7 / 0,81 kW
weight of the machine ca.:	0,27 t
dimensions of the machine ca.:	1,2 x 1,1 x 1,5 m

## Machine images



