

## METALLKRAFT GS 1200-36 E inkl. Unterbau (1125-7363)

© Heinz Sanders GmbH



**Control type**  
konventionell

**Construction year**  
NEU

**Machine no.**  
1125-7363

**Make**  
METALLKRAFT

**Location**  
49779 Niederlangen

Electric tapping machine / 4450136SET

Fast and precise thread cutting with freely positionable swivel arm

- The machine head can be swiveled from 0 to 90 degrees
- Quick change chuck with slip clutch for safe thread cutting without Risk of breakage
- Right-left rotation can be selected on the machine head
- Setting of thread size, speed, pitch and cutting depth via Touchscreen on the swivel arm
- Manual mode: the stops after the set cutting depth is reached  
Spindle automatic, forward and reverse must be activated manually.
- Automatic mode: changes after the set cutting depth is reached the machine automatically from the forward to the return - ideal for that Thread cutting of several blind holes

Incl. 1 each GT12 M6, M8, M10, M12, M14, M16, M18, M20, M22-24, M27, M30, M33, M36

Substructure 900 x 600 x 875 mm

## Machine attributes

thread dia.:	M6 - M36 mm
turning speeds:	156 U/min
radius:	1200 mm
angle adjustable from - to:	0 - 90 Grad
weight of the machine ca.:	0,4 t
dimensions of the machine ca.:	1,4 x 0,1 x 0,7 m

## Machine images

© Heinz Sanders GmbH



© Heinz Sanders GmbH



© Heinz Sanders GmbH

