

Maschinen www.heinz-sanders.de

Papenburg Heinz Sanders GmbH Friederikenstraße 100 26871 Papenburg info@heinz-sanders.de Niederlangen Heinz Sanders GmbH Fresenburger Weg 4 49779 Niederlangen maschinen@heinz-sanders.de Spelle Heinz Sanders GmbH Robert-Bosch-Straße 9 48480 Spelle spelle@heinz-sanders.de

METALLKRAFT HSBM 1050-15 HSG (1125-2350001)



Control type konventionell

Construction year NEU

Machine no. 1125-2350001

Make METALLKRAFT

Manual folding machine FSBM 1020-20 HSG / 3770103

- The workpiece is clamped using a foot pedal, so both hands remain free for material feed
- Different tool variants available E, S2, HS2 and HSG
- The strong auxiliary cylinder makes bending easier
- Wide clearance between the upper and lower beam of up to 25 mm
- Self-lubricating slide bearings
- Clamping pressure of the upper beam can be easily adjusted using handy knurled screws
- Adjustment of the material thickness by means of a knurled screw
- Adjustable stop for bending angle

Equipment details:

FSBM 1020-20 HSG

- With segmented goat foot tools, segmented bending bar and segmented bed pad

- Segments have a hardness of HRC24-26

VA steel 1.2 mm

Aluminum 2.4 mm

Machine attributes

: Biegewinkel 135°

sheet width: 1050 mm
plate thickness: 1,5 mm
distance between columns: -- mm
weight of the machine ca.: 280 kg

dimensions of the machine ca.: $1300 \times 750 \times 1515 \text{ mm}$

Machine images



