

## NKO Anfasssystem UZ15 Rapid (1125-2230017)

© Heinz Sanders GmbH



**Control type**  
 konventionell

**Construction year**  
 NEU

**Machine no.**  
 1125-2230017

**Make**  
 NKO

**Location**  
 49779 Niederlangen

The UZ15 RAPID machine is one of the fastest beveling machines with automatic feed on the market. It is not only suitable for workshops, but also for assembly work. It has a stepless Bevel angle adjustment system. Also, the machine with an automatic feed equipped. Working with the UZ15 Rapid is therefore very convenient.

- For conventional steel (up to a strength of 600 MPA/ 87022PSI), brass, copper and aluminum materials
- For chamfering workpieces with the minimum dimensions of 70 x 150 x 6 mm
- Application range of sheet thickness 6 - 40 mm
- The bevel angle can be easily adjusted from 15° to 50° continuously without that a part needs to be replaced
- Double-sided bevel (X, K) without material handling
- Easy connection to the 3D manipulator for easier operation and handling
- Silent working
- Equipped with automatic feeder

- Stationary or mobile use
- The machine works with large workpieces without any support  
a speed of 3.5m/min
- Smaller workpieces are placed directly in the machine
- Reduced price when purchasing UZ15 RAPID together with the 3D manipulator

## Machine attributes

diameter:	-- mm
workpiece length:	-- mm
work piece width:	15 mm
range of angles:	15-50 °
plate thickness:	6-40 mm
total power requirement:	1,5 kW
Feed speed:	3,5 m/min.
dimensions:	530 x 395 x 860 mm
weight of the machine ca.:	94 kg

## Machine images