

Maschinen www.heinz-sanders.de

Papenburg
Heinz Sanders GmbH
Friederikenstraße 100
26871 Papenburg
info@heinz-sanders.de

Niederlangen Heinz Sanders GmbH Fresenburger Weg 4 49779 Niederlangen maschinen@heinz-sanders.de

Heinz Sanders GmbH Robert-Bosch-Straße 9 48480 Spelle spelle@heinz-sanders.de

OPTIdrill Tischbohrmaschine DP 26-T (400 V) Set (1125-7364)



Control type konventionell

Construction year NEU

Machine no. 1125-7364

Make
OPTIdrill Tischbohrmaschine

Bench drill / 3020625TSET

- Heavy execution of the whole machine
- Very smooth running thanks to the new spindle design
- industrial engine
- Separate emergency stop impact switch
- drilling depth stop
- LED machine light integrated in the drill head
- Precisely machined, stable drilling table with diagonal T-slots with a circumferential cooling water channel
- Drilling table can be tilted \pm 45 $^{\circ}$ and rotated 360 $^{\circ}$
- V-belt cover with safety switch
- Precision spindle bore
- Machine operation of safety electronics in 24 V DC voltage
- Guaranteed concentricity = 0.02 mm measured in the drilling spindle
- Thick-walled steel column for high force absorption and stability
- Solid, large base plate with T-slots

scope of delivery

- Keyless chuck 0 16 mm
- T-nuts
- Expeller
- Adapter MK 3-B16
- operating tool
- BMP 100 machine vice

Machine attributes

bore capacity in steel (diameter): 25 mm
throat: 209 mm
bore stroke: 95 mm
: 3

Motor output: 12

speeds: 200 - 2440 U/min

Machine images











