

PLACKE EQPB - 3 (1125-3300060)



Control type
CNC

Construction year
2019

Machine no.
1125-3300060

Make
PLACKE

- DELEM CNC control DA65
- Electric back gauge (X-axis), 600 mm
- hydr. Upper tool clamping
- Front light barrier
- side + rear protective grilles
- manually adjustable stop bar, foldable (R+Z axis)
- 2x support arm
- Machine feet
- Operation manual

Machine attributes

| | |
|--------------------------------|-----------------------|
| pressure: | 30 t |
| chamfer length: | 1020 mm |
| distance between columns: | 850 mm |
| daylighth: | 350 mm |
| throat: | 255 mm |
| stroke: | 165 mm |
| working feed: | 0-9,8 mm/sec |
| return speed: | 160 mm/sec |
| Control: | DELEM DA 66T |
| oil volume: | 90 l |
| total power requirement: | 5,0 kW |
| weight of the machine ca.: | 3300 kg |
| dimensions of the machine ca.: | 1870 x 1525 x 2590 mm |

Machine images





placke GmbH
Werkzeug-
Blechbearbeitungsmaschinen

Auf dem Platen 7 - 11
49326 Melle
Tel.: 05422 - 959980
Fax.: 05422 - 43637
e-mail: info@placke.de
http://www.placke.de

Hydraulische Gesenkbiegemaschine

| | | | | |
|---------------|--------|------------------|-----|------|
| Typ | EQPB-3 | Spannung | 400 | Volt |
| Baujahr | 2019 | Frequenz | 50 | Hz |
| Maschinen Nr. | P 603 | Stromstärke | 10 | A |
| Presskraft | 30 | Anschlußleistung | 5 | kW |
| Presslänge | 1020 | Betriebsdruck | 300 | bar |
| Stößelhub | 185 | Masse | 2,8 | t |

Betriebsanleitung beachten !

CE

Geprüft
nächste Prüfung