

**PLACKE HQPB-6H 210t / 3100 mm
(1125-3300052)**



Control type
CNC

Construction year
2001

Machine no.
1125-3300052

Make
PLACKE

- DELEM CNC control DA69
- controlled axes: Y1 + Y2 + X + R + Z1 + Z2
- hydr. bombing device
- Electric back stop, travel range 600 mm
- hydr. Upper tool holder standard R
- hydr. Lower tool holder standard R
- front laser protection device FIESSLER
- 2x CNC electrically movable stop fingers, foldable
- side + rear protection device
- 1x set of upper tools
- Hand and foot controls
- Operation manual

Machine attributes

pressure:	210 t
chamfer length:	3100 mm
distance between columns:	2600 mm
daylight:	490 mm
throat:	350 mm
stroke:	215 mm
working feed:	9,8 mm/sec
return speed:	80 mm/sec
adjustment speed:	130 mm/sec
work height max.:	845 mm
Control:	DELEM DA 69
total power requirement:	15 kW
weight of the machine ca.:	12500 kg
dimensions of the machine ca.:	3880 x 1675 x 2850 mm

Machine images





placke GmbH
Werkzeug-
Blechbearbeitungsmaschinen

Auf dem Platen 7 – 11
D - 49326 Melle
Tel.: 05422 - 45015
Fax.: 05422 - 43637
e-mail: info@placke.de
http://www.placke.de

Modell	HQPB 6-F	Spannung	400 Volt
Typ	2107/3100	Frequenz	50 Hz
Baujahr	2001	Stromstärke	40 A
Maschinen Nr.	P 26	Anschlußleistung	20 kW
Presskraft	2100 kN	Betriebsdruck	300 bar
Antriebsleistung	15 kW	Eilgang ab	130 mm/s
Ausladung	350 mm	Arbeitsgang	9,8 mm/s
Stößelhub	215 mm	Rückzug	90 mm/s
Einbauhöhe	585 mm		
Gewicht	12,5 to		

Betriebsanleitung beachten !

CE