

Prvomajska TNP160b (1125-3200050)



Control type
konventionell

Construction year
1986

Machine no.
1125-3200050

Make
Prvomajska


Location
49779 Niederlangen

- 4-jaw chuck Ø160 mm RÖHM
- MULTIFIX quick-change holder with 1x insert
- movable tailstock
- Lathe chuck protection
- Chip back wall
- Operation manual

Machine attributes

turning diameter:	360 mm
turning length:	1000 mm
swing diameter over bed slide:	200 mm
turning speeds:	36 - 1600 U/min
spindle bore:	51 mm
quill stroke:	150 mm
tailstock quill taper MT:	4
total power requirement:	4 kW
weight of the machine ca.:	950 kg
dimensions of the machine ca.:	2400 x 950 x 1500 mm

Machine images





© Heinz Sanders GmbH



© Heinz Sanders GmbH



© Heinz Sanders GmbH



PRVOMAJSKA	
TVORNICA ALATNIH STROJEVA	
POGON	
RAŠA	
T-2/N	
MASCHINEN KURZZEICHEN	TNP 160B
UND BAUGRÖSSE	1000
FABRIKATIONS-Nr./BAUJAHR	1904/86
GESAMTGEWICHT	1,750 t
STROMLAUFPLAN	16-201 P5
LEITUNGSPLAN	16-202 M5
STROMART	3 φ
FREQUENZ	50 Hz
BETRIEBSSPANNUNG	380 V
STEUERSPANNUNG	24 V
ANSCHLUSSWERT	4,1 kW
NENNSTROM DER MASCHINE	9,8 A
NENNSTROM DER	FLINK
ZULEIT. SICHERUNG	TRÄGE
	20 A