

## RHTC - Portalpresse PPTL-100 (1125-2370018)



**Control type**  
konventionell

**Construction year**  
NEU

**Machine no.**  
1125-2370018

**Make**  
RHTC - Portalpresse

**Location**  
49779 Niederlangen

- Manually movable portal
- Movable cylinder manually (left - right)
- Cylinder extension up to the table
- Integrated pressure gauge
- Pressure regulator
- Two-speed hydraulic unit
- Joystick to move the piston up / down
- Hand pump for precision work

These straightening presses are equipped with a movable cylinder (on the side) and a

Movable frame (longitudinal-running) equipped to allow easy access to all allow points of the surface. The design of this portal press makes it possible to put heavy material on the table with a crane and that Slide the portal over the material at the beginning of the pressing process.

The quality of these hydraulic straightening presses is very high. Over and

beyond

is the hydraulic unit with a pressure regulator, 2 speeds, a joystick and a hand pump for precision pressing.

## Machine attributes

pressure:	100 t
stroke:	380 mm
table surface area:	1740 x 996 mm
pressure:	258 bar
adjustment speed:	7,54 mm/sec
work speed:	2,47 mm/sec
return speed:	9,06 mm/sec
daylight:	700 mm
table height:	720 mm
total power requirement:	2,2 kW
weight of the machine ca.:	1685 kg

## Machine images

