

TEKA filtoo 1,1 kW 1x3 mtr. (1125-8366978)



Control type
 konventionell

Construction year
 NEU

Machine no.
 1125-8366978

Make
 TEKA

Location
 49779 Niederlangen

Particle pre-separator: coarse filter, pre-filter

Main particle separator: main filter

Gas separator: activated carbon filter

Hose arm: joints inside

What is the filtoo?

The filtoo filter device newly developed by TEKA is a mobile filter system, for many tasks in the area of ??filtration of smoke and dust and gases can be used. The device was based on DIN EN ISO 15012-1 (2005) tested and is IFA (formerly BGIA) certified (IFA No. 201020469/1140) for welding smoke class "W3" (degree of separation: 99.9%). at The filtoo is intended to be used for the separation of smoke suitable, which by welding separation and joining processes at the Machining of unalloyed steels, including high-alloy chrome / Nickel steels are released.

How does the filtoo work?

The

Polluted air sucked into the filter system. In a multi-level
The filter process filters the particles / gases from the air stream and the
clean air is fed back into the work area.

Where can the filter be used?

At welding workplaces, in the workshop area, for soldering applications, at
Restorers and locksmiths.

What do you get for your money?

All you get is a completely ready-to-use "plug and play system"
the recording device must be connected before commissioning.

How is the filter set up?

The housing is made of a stable sheet steel construction and is inside
as well as provided with a powder coating on the outside. The filter elements
are over

A maintenance hatch is accessible and can therefore be accessed very easily and
quickly

can be removed. The system has functional controls.

Machine attributes

:	2500 m ³ /h
:	2500 kPa
volume capacity:	1600 m ³ /h
feed volume:	> 99 %
:	1,1 kW
:	72 dB(A)
:	0,58 x 0,58 x 0,9 m
:	80 kg
:	230 V / 50 Hz V

Machine images

© Heinz Sanders GmbH

