

## UNICRAFT PG-E 80 TEA (1125-6706080)

© Heinz Sanders GmbH



**Control type**  
 konventionell

**Construction year**  
 NEU

**Machine no.**  
 1125-6706080

**Make**  
 UNICRAFT

**Location**  
 49779 Niederlangen

Synchronous power generator PG-E 80 TEA / 6706080

Drive SC190F

Power factor 1.0 Cos

Starter manual start / electric start

Fuel: Gas

Capacity tank 25 l

Sound pressure level Lp 76 dB(A)

Sound power level Lw 97 dB(A)

Type synchronous

Rated voltage 230 / 400 V

Apparent power at LTP 2.5 / 7.0 kVA

Active power at LTP 2.5 / 7.0 kW

Apparent power at COP 2.3 / 6.5 kVA

Active power at COP 2.3 / 6.5 kW

Protection class generator IP 23

Socket design 2 x 230 V, Schuko / 1 x 400 V, 16 A

Protection class sockets IP 44

\* All alternators with copper windings

- \* Short-term power up to 3 times the rated power
- \* Automatic voltage regulation AVR provides constant output voltage and enables the operation of sensitive devices
- \* Overload protection by thermal circuit breaker
- \* Low oil shutdown with warning lamp
- \* 3 in 1 display for voltage, frequency and operating hours
- \* Long running time due to large tank
- \* Tank with level indicator
- \* Connections ergonomically favorable at the front
- \* Easy transport thanks to the wheel set and stable folding handles

## Machine attributes

rated capacity:	7,0 kVA
capacity in kVA:	6,5 kVA
Heating capacity:	--
power fuel:	Benzin
weight of the machine ca.:	93,7 kg
dimensions of the machine ca.:	700x526x580 mm

## Machine images