

## ZMM CU325/1000 (1125-2200003)



**Control type**  
konventionell

**Construction year**  
NEU

**Machine no.**  
1125-2200003

**Make**  
ZMM

**Location**  
49779 Niederlangen

**Furnishing:**

- Cooling device
- Machine light
- chip rear wall
- Spindle protection
- Lathe chuck protection
- Tool holder protection
- Foot pedal with braking function CE
- Interchangeable gears

**\*incl. Optional equipment**

- 3-jaw chuck Ø 160 mm type 3204/ DIN6350, BISON
- MULTIFIX quick-change holder type A, incl. 4 tool holders
- 2-axis digital display DRO Newall

## Machine attributes

turning diameter:	325 mm
turning length:	1000 mm
swing diameter over bed slide:	250 mm
Swingdiameter in the bed bridge:	440 mm
reus:	12 (85-2000) U/min
tail stock:	MK 3
quill stroke:	100 mm
diameter of quill:	40 mm
spindle taper:	DIN 55027 Nr. 5
spindle bore:	32 mm
feed:	längs 0,006 - 1,77 m/min
feed:	quer 0,003 - 0,885 m/min
total power requirement:	2,2 kW
weight of the machine ca.:	770 kg
dimensions of the machine ca.:	2150 x 950 x 1350 mm

## Machine images





